

# Oil-finished product

---

Maintenance guide

## Daily cleaning

For daily cleaning, use a clean, dry cloth, ideally a cotton cloth. Avoid scouring pads or synthetic cloths as these may cause scratches

To remove dirt, use a damp cotton cloth firmly wrung in clean water

Never use harsh or abrasive cleaning agents, as this may damage the furniture

Use cleaning agents without solvents and only use mild soap

---

## Reapplication of oil

Clean the surface with mild soapy water

Wipe the surface dry and then apply neutral or white pigmented furniture oil (depending on your furniture)

In case of heavy wear on the furniture, sand the surface lightly with 220–280 grit sandpaper until the surface is even and smooth before applying oil. **Important note:** Always sand in the direction of the grain. Clean the surface afterwards with a damp cloth

Follow the instructions for application, drying time and removal on the oil product you are using

Do not cover the surface until the oil has set

**Important:** Oil-soaked cloths should be disposed of in an airtight bag with a little water as they may be highly flammable

---



## Lacquered or stained products

---

### Maintenance guide

#### Daily cleaning

For daily cleaning, use a clean, dry cloth, ideally a cotton cloth. Avoid scouring pads or synthetic cloths as these may cause scratches

To remove dirt, use a damp cotton cloth firmly wrung in clean water

Never use harsh or abrasive cleaning agents, as this may damage the furniture

Use cleaning agents without solvents and only use mild soap

---

#### Reapplying lacquer or stain

There is no treatment for scratches or marks on lacquered or stained surfaces. Damage to these types of surfaces must be repaired by professionals

---



# Leather product

---

## Maintenance guide

The cushion is made of carefully selected natural leather in a soft brown tone. Natural leather comes from animals that lived in nature. Because this is a natural material, the leather comes with natural colour variations and marks.

---

### Daily cleaning

Avoid exposing the leather to direct sunlight or extreme heat

Avoid exposure to liquids or sharp objects

Quickly mop up any spills using a clean, dry cloth to avoid permanent stains

Use a vacuum cleaner with a soft brush to remove dust from the cushion

Never use grease-dissolving cleaning agents

---

### Reapplication of leather cream

We recommend that you take care of your cushion by using leather cleaner followed by protective leather cream or leather grease three to five times a year. be highly flammable

---



# Stainless steel product

---

Maintenance guide

Stainless steel has a high content of chromium, which gives the steel its resistant surface

---

## Daily cleaning

For daily cleaning, use a damp cloth soaked in a solution of warm water and a mild detergent

---

## Extra cleaning

For extra cleaning, use household rubbing alcohol. This will also sanitize the surface. Always follow the direction of the steel grain

Rust stains and minor scratches can be removed by polishing the surface with a very fine sanding sponge for metal. Always follow the direction of the steel grain

---

## Advice

Stainless steel will develop patina over time. Minor rust stains may appear on stainless steel caused by particles from other objects

Never use chlorine-based cleaners on steel, as this will cause rust

---



## **MAINTENANCE OF YOUR OIL-TREATED PRODUCT**

### REPLENISHMENT

#### **STEP 1**

Clean the surface with a mild soapy water solution. Wipe the surface dry.

#### **STEP 2**

Apply a neutral or white pigmented furniture oil with a soft cloth. Excess oil must be removed 30 minutes after application.

#### **STEP 3**

Polish with a clean cloth until an even look is attained. The oil will not harden until after 12 hours. Do not cover any of the surface until the oil has hardened.

#### **IMPORTANT**

Cloths with oil should be disposed of in an airtight bag with a little water as they can be highly flammable.

### RE-TREATMENT IN CASE OF EXTRA WEAR

#### **STEP 1**

Clean the surface with a mild soapy water solution. Wipe the surface dry.

#### **STEP 2**

Sand the surface lightly with 220-280 grit sandpaper until an even surface is attained. Important note: Sand along the grains of the wood. Clean the surface with a wet cloth.

#### **STEP 3**

Layer 1: Apply a neutral or white-pigmented furniture oil (depending on your furniture) with a soft cloth – wait approximately 30 minutes.

Layer 2: Apply yet another layer on top of the wet oil so the surface appears glossy for another 30 minutes.

#### **STEP 4**

Remove excess oil no later than 30 minutes after the application of the last layer (bringing the length of the oil treatment to a total of 60 minutes before wiping off).

#### **STEP 5**

Polish with a clean cloth until an even look is attained. The oil will not harden until after 12 hours. Do not cover any of the surface until the oil has hardened.

#### **IMPORTANT**

Cloths with oil should be disposed of in an airtight bag with a little water as they can be highly flammable.