
NJP MINI

The fixture emits a softly diffused, downwardly directed, glare-free light. It fades in at a fixed light level when switched on and fades out when switched off. The timer function can be used to switch it off automatically after either four or eight hours. The fixture provides a broad light distribution for its relatively small size. The shade's white-painted interior helps to comfortably reflect the light. The stepless dimmer allows the light to be adjusted to a suitable level between 15 and 100%. The arm has a stationary angle of 15°, and it can rotate 342° around the base. The head can be tilted and rotated to direct the light.





nendo

In 2002 Oki Sato founded nendo design studio. nendo means 'clay' in Japanese - or more specifically, modelling clay such as plasticine. A unique material that makes it easy to do creative modelling.





louis poulsen

Design to Shape Light

louispoulsen.com

2/5 NJP Mini

Product info

Information

The arm has a stationary angle of 15°. Head can tilt and rotate. The arm can rotate 342° around the base. A single push button located at the lamp head controls on/off and dimming. Light turns on/off with light fading in/out. Stepless dimming of the light to a suitable level between 15 and 100%. Timer function to automatically turn off the light after a period of time, selectable between 4 hours or 8 hours. Function to set a fixed brightness level each time the lamp is connected to main power.

Mounting

Cord type: White (White and soft pink finish), black (other finishes). Cord length: 8'. Switch: High/low/off button on the fixture head. LED driver: Separate, plugs into power outlet. Optional auto shut-off timer function after 4 hours or 8 hours.

Finish

White, black, light aluminum gray, rose brown, soft pink, petrol blue, or taupe. Powder-coated.

Materials

Base: Steel. Arm and lamp head: Aluminum.

Sizes and weight

Width x Height x Length (in.) | 6.3 x 16.3 x 6.3 Max 6.4 lbs

Compliance

cULus, Dry location.

Light source

LED 2700K 10W Lumen: 418

Information

The arm has a stationary angle of 15°. Head can tilt and rotate. The arm can rotate 342° around the base. A single push button located at the lamp head controls on/off and dimming. Light turns on/off with light fading in/out. Stepless dimming of the light to a suitable level between 15 and 100%. Timer function to automatically turn off the light after a period of time, selectable between 4 hours or 8 hours. Function to set a fixed brightness level each time the lamp is connected to main power.

Related products





NJP Wall

NJP Floor



NJP Table



Product variants

Color	Cable type	Light source
Black	Black cord	LED 2700K 10W
Brown rose	White cord	
Light aluminium grey		
Petrol blue		
Soft pink		
Taupe		

O White

Product description

The fixture emits a softly diffused, downwardly directed, glare-free light. It fades in at a fixed light level when switched on and fades out when switched off. The timer function can be used to switch it off automatically after either four or eight hours. The fixture provides a broad light distribution for its relatively small size. The shade's white-painted interior helps to comfortably reflect the light. The stepless dimmer allows the light to be adjusted to a suitable level between 15 and 100%. The opening at the back of the lamp head emits a soft glow, illuminating the top of the arm to create further ambiance. The arm has a stationary angle of 15°, and it can rotate 342° around the base. The head can be tilted and rotated to direct the light.

Mounting

Cord type: White (White and soft pink finish), black (other finishes). Cord length: 8'. Switch: High/low/off button on the fixture head. LED driver: Separate, plugs into power outlet.

Light description

The fixture emits a softly diffused, downwardly directed, glare-free light.

Design

nendo

Material

Base: Steel. Arm and lamp head: Aluminum.

Weight

Min: 6.393 lbs Max: 6.393 lbs

Finish

Black, Brown rose, Light aluminium grey, Petrol blue, Soft pink, Taupe, White

Light distribution diagrams

