

NJP WALL

The fixture provides direct glare-free horizontal light while reflecting some of the light through the rear of the head, illuminating the top of the arm. The ergonomic design of the fixture head shapes the light and gives optimal light direction. A simple mechanical system provides great freedom of movement, so the light can always be set in the ideal position in the workspace. The shade is painted white on the inside, reflecting comfortable diffused light.



nendo

In 2002 Oki Sato founded nendo design studio. nendo means 'clay' in Japanese – or more specifically, modelling clay such as plasticine. A unique material that makes it easy to do creative modelling.



Product info

Environmental Product Specification

This product is compliant with the requirements contained in the European Directives, RoHS Directive 2011/65 and 2015/863. This product is designed so that 100% of the product can be disassembled and reused.

Information

Electrical: System Wattage: 10W LED Wattage: 9W Delivered lumens: 550 Efficacy: 55 lm/W Certifications: cULus, Dry Location Protection class IP20 Controllability: Step dimming Color Rendering: Ra≥90

Mounting

Cord type: White (White finish), black (non-white finish). Cord length: 6'. Switch: High/low/off button on the fixture head. Timer function: 4 hours or 8 hours. LED driver: Separate, plugs into power outlet.

Finish

White, Black or Light Aluminium Grey, powder coated.

Materials

Arms and lamp head: Aluminum. Joints: Anodized Aluminum. Wall bracket: Aluminum.

Sizes and weight

Width x Height x Length (in.) | 5.9 x 23.6 x 23.6 Max 3.4 lbs | 5.9 x 7.9 x 11.8 Max 1.7 lbs | 5.9 x 32 x 20 Max 3.7 lbs | 5.9 x 8.6 x 11.7 Max 2.3 lbs

Compliance


cULus, Dry location.

Light source

LED 2700K 10W
Lumen: 529

Information

Electrical:
System Wattage: 10W
LED Wattage: 9W
Delivered lumens: 550
Efficacy: 55 lm/W
Certifications:
cULus, Dry Location
Protection class IP20
Controllability: Step dimming
Color Rendering: Ra≥90




Related products



NJP Floor



NJP Table



NJP Mini

Product variants

Color	Mounting	Cable type	Light source	Lumen	Voltage frequency	Class
<input checked="" type="radio"/> Black	Long arm	Without cord and wall box	LED 2700K 10W	529	-	-
<input checked="" type="radio"/> Light aluminium grey	Short arm	Without cord, with wall box	LED 3000K 10W	550	120V	II
<input type="radio"/> White						

Product description

The NJP series was designed by Oki Sato, founder of nendo design studio. The NJP Wall lamp's flexible head and arms provide exceptional adjustability, which is often lacking in standard wall lights. This makes the light highly suitable for the bedroom, where adjustable beds are becoming increasingly common. Available in 4 colors and 2 sizes. May be programmed to automatically shut off after 4 or 8 hours.

Mounting

Mounts to the wall and powered by a plug-in transformer for 120V operation. Push button switch on luminaire head steps through high - low - off operation.

Light description

The fixture provides direct glare-free horizontal light while reflecting some of the light through the rear of the head, illuminating the top of the arm. The ergonomic design of the fixture head shapes the light and gives optimal light direction. A simple mechanical system provides great freedom of movement, so the light can always be set in the ideal position in the workspace. The shade is painted white on the inside, reflecting comfortable diffused light.

Design

nendo

Material

Luminaire constructed in aluminum for durability and heat management. Springs and mounting hardware are steel.

Weight

Min: 1.715 lbs Max: 3.748 lbs

Finish

Black, Light aluminium grey, White

Voltage







120V

Light distribution diagrams

Cartesian

Isolux

Polar



Spare parts & accessories

Product	Variant number
NJP Wall, Black bracket	5743163160
NJP Wall, White bracket	5743163173
NJP Wall, Light Grey bracket	5743163364
Adaptor 12V black	5744164867
Adaptor 12V white	5744164870
NJP bushing plast	5744165183
NJP replacement kit LED w/wire 27K	5744165947
NJP replacement kit LED w/wire 3K	5744165976