Post Table Lamp

"The Post Table Lamp came from the idea of exploring the flexibility of the magnetic joint, giving the user the freedom to position and dim the lamp's light units according to individual needs. Designed with a sculptural expression, simple lines and a refined finish, the Post Table Lamp represents a new perspective through its graphic character and forward-thinking functionality."





Designed by Earnest Studio

About the Designer Earnest Studio was founded by American-born, Rotterdam-based designer Rachel Griffin. With a

background in graphic design, she spent five years producing exhibitions and books before moving to the Netherlands to study at the Design Academy Eindhoven in 2007. She launched her own studio

in 2012, with a focus on furniture, lighting and accessories.

Environment Indoor

Country of Production China

Preassembled Yes

Description The Post Table Lamp redefines lighting with an archetypal yet innovative design, featuring a

magnetic joint for customizable positioning, dimming, and rotation. This atmospheric base lamp is versatile, making it an ideal addition to bedside tables, shelves, windows, and other spaces offering

various settings and angles.

Material Base in powder coated steel. Lighting unit in powder coated magnesium with silicone cord and opal

diffuser. Cable drops in ABS with magnet. Power supply with ABS connector and PVC cord.

Cleaning & Care Clean with a soft, dry cloth only. Always switch off the electricity supply before cleaning.

Light Source Included Yes.

Dimmable Function Yes



Post Table Lamp

Dimensions

 Height:
 42,5 cm / 17.8"

 Diameter:
 9,5 cm / 3.7"

 Cord Length:
 250 cm / 98.4"



Ready-to-Ship

Black Brown Green



Lamp Rating

Voltage 100-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket Integrated, nonreplaceable LEDsMax.
5,5W (One Unit)Max

5,5W (One Unit)Max 6,7W (One Unit, incl. Power HUB)Max. 13W (Two Units, incl. Power

HUB)

Light Source Specification

Integrated, non-

replaceable LED

 Watt
 6,7W

 Lumen
 330 lm

 Lumen Maintenance
 54,000h

 Kelvin
 2.700K

 CRI
 90


 Dimmable
 Yes

 Risk Group
 Except



Post Table Lamp

Energy Label



Tests, Labels δ Certifications

Electromagnetic Compatibilty

Electromagnetic Compatibility (EMC)

Safety & Regulations

ECO Design Directive Low Voltage Directive 2014/35 EU (LVD) REACH Restriction of Hazardous Substances Directive (RoHs)

Waste of Electronic and Electrical Equipment (WEEE)

















Explore Assets

DOWNLOAD SITE

