

Under The Bell Pendant Lamp

“Under The Bell is more than just a lampshade—when situated over a table or in an open space, the bell-shaped light creates its own space within the environment. As such, the design embraces and shelters the people underneath, both in a physical and abstract manner, for an intimate atmosphere. The design is made using fibers from recycled plastic bottles that, along with its unique shape, enables Under The Bell to absorb sound and improve the acoustics of any room.”

— Iskos-Berlin




Designed by	Iskos-Berlin
About the Designer	Iskos-Berlin is a Copenhagen-based design duo that has made international headlines within furniture, industrial and graphic design. The studio, formerly known as Komplot Design has collaborated with some of the world's most prestigious manufacturers and their furniture, lighting and other design products are exhibited at numerous design museums around the world including MoMA and the Designmuseum Denmark.
Environment	Indoor
Country of Production	Germany
Preassembled	Yes.
Description	Designed in a material that uses 49% fibers made from recycled plastic, the Under The Bell Pendant Lamp not only brings a tactile and modern expression to any space but also impacts the acoustics of a room through its soft shade, paired with its graphic lines and subtle color palette.
Material	The shade is made using 49% recycled plastic. The recycled plastic comes from post-consumer waste. Rubber cord.
Cleaning & Care	Vacuum to remove dust. Clean off any marks with a clean moist cloth. Always switch off the electricity supply before cleaning.
Cord Length	500 cm / 196.9"
Light Source Included	Ø 21.7", Ø 32.25": No.
Ceiling Cap Included	Ø 21.7", Ø 32.25": Yes.
Dimmable Function	Yes.

Under The Bell Pendant Lamp

Dimensions

Ø 21.7"	
Length:	55 cm / 21.7"
Height:	31 cm / 12.2"
Width:	55 cm / 21.7"
Diameter:	55 cm / 21.7"
Cord Length:	500 cm / 196.9"



Ø 32.25"	
Length:	82 cm / 32.3"
Height:	46 cm / 18.1"
Width:	82 cm / 32.3"
Diameter:	82 cm / 32.25"
Cord Length:	500 cm / 196.9"



Ready-to-Ship

Black
Grey
White Mélange
Dark Green



Lamp Rating

	Ø 21.7"	Ø 32.25"
Voltage	120V	120V
Frequency	60Hz	60Hz
IP Rating	IP20	IP20
Socket	1 x E26 Max. 30W; self-ballasted CFL Max. 60W; Incandescent, Type A Max. 11W; Self-ballasted LED	1 x E26 Max. 30W; self-ballasted CFL Max. 60W; Incandescent, Type A Max. 11W; Self-ballasted LED

Light Source Recommendation

	Ø 21.7"	Ø 32.25"
Lamp Base	E26	E26
Dimensions	Ø125 x 175 mm	Ø125 x 175 mm
Light Source Shape	G125	G125
Light Source Type	LED	LED
Max Voltage	Max. 30W; self-ballasted CFL Max. 60W; Incandescent, Type A	Max. 30W; self-ballasted CFL Max. 60W; Incandescent, Type A

Tests, Labels & Certifications

Safety & Regulations

cETLus or cULus



Under The Bell Pendant Lamp

[Explore Assets](#)

[DOWNLOAD SITE](#)